ANALYTICA CHIMICA ACTA

An international journal devoted to all branches of analytical chemistry

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

VOL. 414 NOS. 1–2 CONTENTS June 1st, 2000

Review

Chemiluminescence detection in capillary electrophoresis
X.-J. Huang (Shenyang, China) and Z.-L. Fang (Shenyang, China and Hangzhou, China) 1

Chemiluminescence

Sensitive assay for clavulanic acid and sulbactam in pharmaceuticals and blood serum using a flow-injection chemiluminometric method
F.A. Aly, N.A. Alarfaj and A.A. Alwarthan (Riyadh, Saudi Arabia) 15

Fluorescence polarization

Selective determination of carbaryl and benomyl by fluorescence polarization
F.G. Sánchez, A.N. Díaz and M.C. Torijas (Málaga, Spain) 25

Enzyme-based procedures

Direct determination of glucose in serum by fluorimetry using a labeled enzyme
J.F. Sierra, J. Galban, S. De Marcos and J.R. Castillo (Zaragoza, Spain) 33

Co-immobilization of cholesterol oxidase and horseradish peroxidase in a sol–gel film
A. Kumar, R. Malhotra, B.D. Malhotra (New Delhi, India) and S.K. Grover (Delhi, India) 43

Flow-injection immunoanalysis

Preparation of reagents for the determination of fumonisin B1 by flow-injection immunoanalysis
Ja-an A. Ho and R.A. Durst (Geneva, NY, USA) 51

Development of a flow-injection liposome immunoanalysis system for fumonisin B1
Ja-an A. Ho and R.A. Durst (Geneva, NY, USA) 61

Liquid chromatography

Hot eluent capillary liquid chromatography using zirconia and titania based stationary phases
T.S. Kephart and P.K. Dasgupta (Lubbock, TX, USA) 71

(Continued overleaf)



http://chemweb.com/gateways/elsevier.html

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**

Determination of diphenyl-ether herbicides and metabolites in natural waters using high-performance liquid chromatography with diode array tandem mass spectrometric detection
A. Laganà, G. Fago, L. Fasciani, A. Marino and M. Mosso (Rome, Italy) 79
Assay of cyclic nucleotide phosphodiesterase activity in rat brain by high-performance liquid chromatography using (3,4-dimethoxyphenyl)glyoxal as a fluorescence derivatizing reagent
Y. Ohba, K. Soda, M. Kai and K. Zaitsu (Fukuoka, Japan) 95
Determination of ^{90}Sr in aquatic organisms by extraction chromatography: method validation
J.M. Torres, M. Llauradó, G. Rauret (Barcelona, Spain), M. Bickel, T. Altzitzoglou and R. Pilviö (Geel, Belgium) 101
Reversed-phase liquid chromatography of metal chelates of 4-(2-pyridylazo) resorcinol: retention model and its verification
P. Janoš (Ústí nad Labem, Czech Republic) 113

Solid phase extraction
A 2-aminopyridine molecularly imprinted polymer surrogate micro-column for selective solid phase extraction and determination of 4-aminopyridine
W.M. Mullett, M.F. Dirie, E.P.C. Lai (Ottawa, Canada), H. Guo and X. He (Tianjin, PR China) 123
Direct comparison of solid-phase extraction and solid-phase microextraction for the gas chromatographic determination of dibenzylamine in artificial saliva leachates from baby bottle teats
G. Niessner and C.W. Klampfl (Linz, Austria) 133

Environmental analysis
Determination of organomercury compounds with a miniaturised automated speciation analyser
S. Slaets and F.C. Adams (Wilrijk, Belgium) 141
Metal sequential extraction procedure optimized for heavily polluted and iron oxide rich sediments
J.L.G. Ariza, I. Giráldez, D. Sánchez-Rodas and E. Morales (Huelva, Spain) 151

Electroanalytical chemistry
Voltammetric determination of traces of Cr(VI) in the presence of Cr(III) and humic acid
M. Korolczuk (Lublin, Poland) 165
New method for the investigation of CE system via convolutive voltammetry combined with digital simulation
I.S. El-Hallag, M.M. Ghoneim and E. Hammam (Tanta, Egypt) 173

Sensors
Effect of the polymer matrix on the response of optical sensors for dissolved aliphatic amines based on the chromoreactand ETH^{T} 4001
G.J. Mohr, T. Nezel and U.E. Spichiger-Keller (Zurich, Switzerland) 181
Lead ion-selective membrane electrode based on 1,10-dibenzyl-1,10-diaza-18-crown-6
M.F. Mousavi, S. Sahari, N. Alizadeh (Tehran, Iran) and M. Shamsipur (Kermanshah, Iran) 189
Development of a new bulk optode membrane for the determination of mercury(II)
C. Sanchez-Pedreño, J.A. Ortuño, M.I. Albero, M.S. Garcia and M.V. Valero (Murcia, Spain) 195
Xanthine and hypoxanthine sensors based on xanthine oxidase immobilized on a $CuPtCl_6$ chemically modified electrode and liquid chromatography electrochemical detection
J. Pei and X.-y. Li (Hong Kong, PR China) 205
Piroxicam and tenoxicam selective membrane sensors
S. Khalil, N. Borham (Fayoum, Egypt) and M.A. EL-Ries (Cairo, Egypt) 215

Chemometrics
Non-linear calibration in single point flow titration of protolytes. A comparison of model options by using Delta Test
F. Albertús (Palma de Mallorca, Spain), I. Cortés, M. Alvarez (Havana, Cuba) and V. Cerda (Palma de Mallorca, Spain) 221

Erratum 239
News 241

Announcement 243

Author Index 245

Calendar of forthcoming meetings N1